


# TOWN OF LINCOLN

Zoning By-law No. 93-14-Z1

Schedule 'B' - PARKING REQUIREMENTS



## Dimensions

	A	B	C	D	E	F	G
	0	2.75	7.0	2.75	3.7	9.2	9.2
	30	2.75	5.8	5.3	3.7	14.3	11.9
	45	2.75	5.8	6.0	4.0	16.0	14.0
	60	2.75	5.8	6.4	4.8	17.6	15.9
	70	2.75	5.8	6.3	5.5	18.1	17.2
	80	2.75	5.8	6.2	6.1	18.5	18.0
	90	2.75	5.8	5.8	6.7	18.3	18.3

**NOTE:** ALL MEASUREMENTS IN METRES

ALL TWO WAY TRAFFIC AISLE WIDTH 6.7m

MINIMUM ACCESSIBLE PARKING STALL WIDTH 3.4m

HATCHED LOADING SPACE BETWEEN ACCESSIBLE PARKING STALLS - 1.5m

## Description

- A- PARKING ANGLE
- B- STALL WIDTH
- C- STALL DEPTH
- D- STALL TO CURB
- E- ONE WAY TRAFFIC AISLE WIDTH
- F- CURB TO CURB
- G- DOUBLE ROW AND AISLE CENTRE TO CENTRE

Accessible Space      Two Accessible Spaces Side by Side

